Harold's
Simplex Tableau (Linear Optimization)
Cheat Sheet

5 May 2026

How to Optimize using the Simplex Method	

Steps	1. Read the word problem at least 4 times
	2. Assign non-basic variables (x_1, x_2, …)
	3. List optimization function, z = _____, that will be maximized
	4. List inequalities (constraints)
	5. Add basic variables, also called slack variables, (s_1, s_2, …), to turn inequalities into equations
	  a. ≤ means s_n is positive (default)
	  b. ≥ means s_n is negative (seldom used)
	  c. Column has all zeros (0) except for one (1) for the slack variable
	6. Organize the equation and inequalities into a matrix, with variables for the columns
	7. Construct a simplex tableau corresponding to the system
	  a. Rows 1-n are the inequalities
	  b. Last row (**indicator row**) is the z equation solved to equal zero (0)
	  i. Example: if $z = 5x_1 + 7x_2$, then $-5x_1 -7x_2 + z = 0$, or -5 -7 1 | 0
	8. If the indicator row coefficients are all positive, then the problem is solved, otherwise …
	9. Find pivot
	  a. Pivot Column is the most negative value in indicator row on bottom
	  b. Pivot Row is the smallest positive ratio of pivot column coefficient to b value on far right
	10. Pivot (perform matrix row operations) to create a new simplex tableau
	  a. Example: $R_1 = R_1 – 2R_2$
	  b. All values in column should be turned into zeros (0) except the pivot element (like the Identity matrix)
	  c. Pivot element should be turned into one (1) using division afterwards to avoid working with fractions
	  d. Column b should always be positive when maximizing
	11. Repeat steps 8 - 10 until no more negatives in the indicator row on bottom
	12. Maximum objective function value is in the simplex tableau's bottom right corner

Copyright © 2021-2026 by Harold Toomey, WyzAnt Tutor

Example

Objective Function:

$z = x_1 + 2x_2 - x_3$

Subject To:

$2x_1 + x_2 + x_3 \le 14$

$4x_1 + 2x_2 + 3x_3 \le 28$

$2x_1 + 5x_2 + 5x_3 \le 30$

$x_1 \ge 0;\ x_2 \ge 0;\ x_3 \ge 0$

Simplex Tableau

Adding slack variables gives:

$2x_1 + x_2 + x_3 + s_1 = 14$

$4x_1 + 2x_2 + 3x_3 + s_2 = 28$

$2x_1 + 5x_2 + 5x_3 + s_3 = 30$

where all variables $x_n \ge 0$ (e.g., not negative)

Simplex Tableau before Pivoting:

$$\begin{array}{c} \\ R_1 \\ R_2 \\ R_3 \\ \hline R_4 \end{array} \left[\begin{array}{ccccccc|c} x_1 & x_2 & x_3 & s_1 & s_2 & s_3 & z & b \\ 2 & 1 & 1 & 1 & 0 & 0 & 0 & 14 \\ 4 & 2 & 3 & 0 & 1 & 0 & 0 & 28 \\ 2 & 5 & 5 & 0 & 0 & 1 & 0 & 30 \\ \hline -1 & -2 & 1 & 0 & 0 & 0 & 1 & 0 \end{array}\right]$$

Pivot Determination:

The -2 is the most negative on the bottom row, so pivot column is 2.

Ratios are row 1: 14/1 = 14, row 2: 28/2 = 14, row 3: 30/5 = 6.

The smallest positive ratio is 6.

So, the pivot is at column 2, row 3 = 5.

Copyright © 2021-2026 by Harold Toomey, WyzAnt Tutor

After Pivot #1

Row Operations:

Pivot element is Col 2, Row 3.

$R_1 = 5\,R_1 - R_3$

$R_2 = 5\,R_2 - 2\,R_3$

$R_4 = 5\,R_4 + 2\,R_3$

$R_3 = (1/5)\,R_3$

Simplex Tableau after Pivot #1:

$$\begin{array}{c} \\ R_1 \\ R_2 \\ R_3 \\ R_4 \end{array} \begin{bmatrix} x_1 & x_2 & x_3 & s_1 & s_2 & s_3 & z & | & b \\ 8 & 0 & 0 & 5 & 0 & -1 & 0 & | & 40 \\ 16 & 0 & 5 & 0 & 5 & -2 & 0 & | & 80 \\ \frac{2}{5} & 1 & 1 & 0 & 0 & \frac{1}{5} & 0 & | & 6 \\ -1 & 0 & 15 & 0 & 0 & 2 & 5 & | & 60 \end{bmatrix}$$

Pivot Determination:

The -1 is the most negative on the bottom row, so pivot column is 1.

Ratios are row 1: 40/8 = 5, row 2: 80/16 = 5, row 3: 6/(2/5) = 15.

The smallest positive ratio is 5.

So, the pivot is at column 1, row 1 = 8. Row 2 also works.

After Pivot #2

Next Pivot element is Col 1, Row 2.

$R_1 = 2\,R_1 - R_2$

$R_3 = 16\,R_3 - (2/5)\,R_2$

$R_4 = 16\,R_4 + R_2$

$R_2 = (1/16)\,R_2$

Final Tableau after Pivot #2:

$$\begin{array}{c} \\ R_1 \\ R_2 \\ R_3 \\ R_4 \end{array} \begin{bmatrix} x_1 & x_2 & x_3 & s_1 & s_2 & s_3 & z & | & b \\ 1 & 0 & 0 & \frac{5}{8} & -5 & 0 & -\frac{1}{8} & | & 5 \\ 0 & 0 & 1 & -2 & 1 & 0 & 0 & | & 0 \\ 0 & 1 & 1 & -\frac{1}{4} & 0 & \frac{1}{4} & 0 & | & 4 \\ 0 & 0 & 3 & \frac{1}{8} & 0 & \frac{3}{8} & 0 & | & 13 \end{bmatrix}$$

Note: All indicators in bottom row are now zero or larger.

13 is not an indicator. It is the maximum solution.

Copyright © 2021-2026 by Harold Toomey, WyzAnt Tutor

Basic Feasible Solution	$x_1 = 5$ $x_2 = 4$ $x_3 = 0$ $s_1 = 0$ $s_2 = 0$ $s_3 = 0$ $z = 13$ Since all slack variables $s_n \geq 0$, this solution is optimal.	Choose 5 x_1s Choose 4 x_2s Choose no x_3s Objective function value of 13.	

Sources:

- https://math.uww.edu/~mcfarlat/s-prob.htm
- http://simplex.tode.cz/en/#steps

Copyright © 2021-2026 by Harold Toomey, WyzAnt Tutor